

BLANK PAGE





EAST AFRICAN STANDARD

Brown rice — Specification

EAST AFRICAN COMMUNITY

HS 1006.20.00

© EAC 2011 First Edition 2011

Foreword

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in East Africa. It is envisaged that through harmonized standardization, trade barriers which are encountered when goods and services are exchanged within the Community will be removed.

In order to meet the above objectives, the EAC Partner States have enacted an East African Standardization, Quality Assurance, Metrology and Test Act, 2006 (EAC SQMT Act, 2006) to make provisions for ensuring standardization, quality assurance, metrology and testing of products produced or originating in a third country and traded in the Community in order to facilitate industrial development and trade as well as helping to protect the health and safety of society and the environment in the Community.

East African Standards are formulated in accordance with the procedures established by the East African Standards Committee. The East African Standards Committee is established under the provisions of Article 4 of the EAC SQMT Act, 2006. The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the private sectors and consumer organizations. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the procedures of the Community.

Article 15(1) of the EAC SQMT Act, 2006 provides that "Within six months of the declaration of an East African Standard, the Partner States shall adopt, without deviation from the approved text of the standard, the East African Standard as a national standard and withdraw any existing national standard with similar scope and purpose".

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

© East African Community 2011 — All rights reserved East African Community
P O Box 1096

Arusha

Tanzania

Tel: 255 27 2504253/8

Fax: 255-27-2504481/2504255

E-Mail: eac@eachq.org

Web: www.each.int

© 2011 EAC — All rights of exploitation in any form and by any means reserved worldwide for EAC Partner States' NSBs.

Introduction

This standard has been developed to take into account:

- the needs of the market for the product;
- the need to facilitate fair domestic, regional and international trade and prevent technical barriers to trade by establishing a common trading language for buyers and sellers.
- the structure of the CODEX, UNECE, USA, ISO and other internationally significant standards;
- the needs of the producers in gaining knowledge of market standards, conformity assessment, commercial cultivars and crop production process;
- the need to transport the product in a manner that ensures keeping of quality until it reaches the consumer;
- the need for the plant protection authority to certify, through a simplified form, that the product is fit for cross-border and international trade without carrying plant disease vectors;
- the need to promote good agricultural practices that will enhance wider market access, involvement of small-scale traders and hence making farming a viable means of wealth creation; and
- the need to ensure a reliable production base of consistent and safe crops that meet customer requirements.

Contents

1	Sco	pe	. 1
2		mative references	
3		ns and Definitions	
4		lity requirements	
	4.1	Raw material	
	4.2	General requirements	. 4
	4.2	Specific requirements	
	4.2.1	Grading	
	4.2.2	Ungraded brown rice	
	4.2.3	Reject grade brown rice	4
5	Con	taminants	
	5.1	Heavy metals	. 5
	5.2	Pesticide residues	
	5.3	Mycotoxin limits	. 5
6	Hyg	riene	.6
7		kaging	
8		elling	
9		pling methods	

Brown rice — Specification

1 Scope

This East African Standard specifies the requirements and methods of sampling and test for brown rice of the varieties grown from *Oryza spp.*, intended for human consumption or for processing to milled rice.

2 Normative references

The following normative documents contain provisions which, through reference in this text constitute provisions of this East African Standards

ISO 605, Pulses — Determination of impurities, size, foreign odours, insects, and species and variety — Test methods

ISO 711, Cereals and cereal products — Determination of moisture content (Basic reference method)

ISO 712, Cereals and cereal products — Determination of moisture content — Routine reference method

ISO 5223, Test sieves for cereals

ISO 6639-1, Cereals and pulses — Determination of hidden insect infestation — Part 1: General principles

ISO 6639-2, Cereals and pulses — Determination of hidden insect infestation — Part 2: Sampling

ISO 6639-3, Cereals and pulses — Determination of hidden insect infestation — Part 3: Reference method

ISO 6639-4, Cereals and pulses — Determination of hidden insect infestation — Part 4: Rapid methods

ISO 13690, Cereals, pulses and milled products — Sampling of static batches

ISO 16050, Foodstuffs — Determination of aflatoxin B_1 , and the total content of aflatoxin B_1 , B_2 , G_1 and G_2 in cereals, nuts and derived products — High performance liquid chromatographic method

EAS 39, Hygiene in the food and drink manufacturing industry — Code of practice

CODEX Stan 193, Codex general Standards for contaminants and toxins in Food and Feed

EAS 38, Labelling of pre-packaged foods — Specification

EAS 79, Cereals and pulses as grain — Methods of sampling

EAS 217, Methods for the microbiological examination of foods

3 Terms and Definitions

For the purpose of this East African Standard, the following definitions shall apply.

3.1

brown rice

rice (Oryza spp) from which only the outermost layer (the husk) of a grain of rice has been removed

3.2

broken kernels

pieces of rice that are less than three-quarters of a whole kernel and includes grains of rice in which part of the endosperm is exposed or rice without a germ. If the piece is more than three-quarters of a kernel, it is considered whole.

3.3

chalky kernels

whole or large broken kernels of rice which are one-half or more chalky

3.4

chip

part of kernel which passes through a metal sieve with round perforations 1.4 mm in diameter

3 5

damaged kernels/defective kernels

whole or broken kernels of rice which are distinctly discoloured or damaged by water, insects, heat, or any other means (including parboiled kernels in nonparboiled rice and smutty kernels).

3.6

degermed kernels

the germ has been removed through the mechanical handling process or by insect attack

3.7

foreign matter

all organic and inorganic material other than pearl millet, broken kernels, other grains and filth.

3.8


glutinous brown rice for processing

glutinous brown rice for processing shall be special varieties of rice (*Oryza sativa* L. *glutinosa*) which contain more than 50 percent chalky kernels. Grade 1 shall contain not more than 1.0 percent of nonchalky kernels, Grade 2 not more than 2.0 percent of nonchalky kernels, Grade 3 not more than 4.0 percent of nonchalky kernels and Grade 4 not more than 6.0 percent of nonchalky kernels.

3.9

head rice

whole kernel or part of the kernel with a length greater than or equal to 75 % of the average length of the test sample kernels (see Figure 1)



- Not passing through a round perforation of 1.4 mm in diameter
- L is the average length

Figure 1 — Size of kernels, broken kernels and chips

3.10

immature kernel/malformed kernel

head rice or broken kernel which is unripe and/or badly developed

3.11

insect/pest damaged

grains eaten in part by stored grain insects and any field pests of grains including *Heliothis spp*. Grains may have a hole (commonly referred to as bored) or have a chewed appearance on any part of the grain.

3.12

inseparable seeds

seeds not removed by the cleaning process, usually large seeds

3.13

milling yield

an estimate of the quantity of whole kernels and total milled rice (whole and broken kernels combined) that is produced in the milling of brown rice for processing to a well-milled degree

3.14

natural stain

any stain on kernels caused by contact with natural substances such as bunt spores, soil or weeds

3.15

paddy kernels

whole or broken unhulled and whole or broken hulled kernels of rice having a portion or portions of the hull remaining which cover one-half (1/2) or more of the whole or broken kernel

3 16

parboiled brown rice

rice in which the starch has been gelatinized by soaking, steaming, and drying.

3.17

partly gelatinized kernel

head rice or kernel of parboiled rice which is not fully gelatinized and shows a distinct white opaque area

3.18

poisonous, toxic and/or harmful seeds

any seed which if present in quantities above permissible limit may have damaging or dangerous effect on health, organoleptic properties or technological performance such as Jimson weed — dhatura (*D. fastuosa* Linn and *D. stramonium* Linn.) corn cokle (*Agrostemma githago* L., *Machai Lallium remulenum* Linn.) Akra (Vicia species), *Argemone mexicana*, Khesari and other seeds that are commonly recognized as harmful to health

3.19

red-streaked kernel

head rice or broken kernel with red bran streaks of length greater than or equal to 50 % of that whole kernel, but where the surface covered by these red streaks is less than 25 % of the total surface

3.20

ungelatinized kernels

whole or broken kernels of parboiled rice with distinct white or chalky areas due to incomplete gelatinization of the starch

3.21

Variety

There are four classes of brown rice. The following four classes shall be based on the percentage of whole kernels, and types of rice:

Long Grain Brown Rice. Medium Grain Brown Rice.

Short Grain Brown Rice. Mixed Brown Rice.

- (1) **Long grain brown rice** shall consist of brown rice which contains more than 25.0 percent of whole kernels of brown rice and in Grades 1 through 4 not more than 10.0 percent of whole or broken kernels of medium or short grain rice.
- (2) **Medium grain brown rice** shall consist of brown rice which contains more than 25.0 percent of whole kernels of brown rice and in Grades 1 through 4 not more than 10.0 percent of whole or broken kernels of long grain rice or whole kernels of short grain rice.
- (3) **Short grain brown rice** shall consist of brown rice which contains more than 25.0 percent of whole kernels of brown rice and in Grades 1 through 4 not more than 10.0 percent of whole or broken kernels of long grain rice or whole kernels of medium grain rice.
- (4) **Mixed brown rice** shall consist of brown rice which contains more than 25.0 percent of whole kernels of brown rice and more than 10.0 percent of "other types" as defined in 3.1.

4 Quality requirements

4.1 Raw material

The rough rice from which the brown rice is obtained shall be of sound quality, free from sand, have characteristic odour and flavour complying with the relevant East African Standards

4.2 General requirements

Brown rice shall meet the following general requirements/limits as determined using the relevant standards listed in Clause 2:

- a) shall be the dried mature grains of edible *Oryza spp*;
- b) be, clean, wholesome, uniform in size, colour and shape;
- c) shall be safe and suitable for human consumption;
- d) shall be free from abnormal flavours, musty, sour or other undesireable odour, obnoxious smell and discolouration;
- e) shall be free from micro-organisms and substances originating from micro-organisms, fungi or other poisonous or deleterious substances in amounts that may constitute a hazard to human health.

4.2 Specific requirements

4.2.1 Grading

Brown rice for human consumption shall be graded into three grades on the basis of the tolerable limits established in Table 1 which shall be additional to the general requirements set out in this standard.

4.2.2 Ungraded brown rice

Shall be brown rice which does not fall within the requirements of Grades 1, 2, and 3 of this standard but is not rejected rice.

Note: For Tanzania and Burundi this requirement shall not apply.

4.2.3 Reject grade brown rice

This comprises brown rice which has objectionable odour, off flavour, living insects or which do not possess the quality characteristics specified in Table 1. It cannot satisfy the conditions of ungraded brown rice and shall be graded as reject brown rice and shall be regarded as unfit for human consumption.

Table 1 — Specific requirements

		Maximum limits		Test Method
Characteristics	Grade 1	Grade 2	Grade 3	
Broken, %, max	2	5	7	
Heat damaged rice, %, max	1.5	1.5	2.0	
Damaged rice, %, max	1.0	2	4.0	
Chalky ^a %, max.	2	4	6	
Red or red streaked, %, max.	1,0	4	12	
immature grains, %, max	2	6	12	ISO 605
Other contrasting varieties, % max	1	2	5	
Organic matters, %, max	0.1	0.5	1	
Inorganic matters, %, max	0.1	0.1	0.1	
Live weevils/kg, max	Nil	Nil	Nil	
Filth, %, max	0.1	0.1	0.1	
Paddy grains, %, max.	1	2	2.5	
Moisture contents, %, max	13	13	13	EAS 82
Total Aflatoxin (AFB1+AFB2+AFG1 +AFG2)), ppb		10		
Aflatoxin B1 only, ppb		5		ISO 16050
Fumonisin ppm		2		

5 Contaminants

5.1 Heavy metals

Brown rice shall comply with those maximum limits for heavy metals established by the Codex Alimentarius Commission for this commodity.

5.2 Pesticide residues

Brown rice shall comply with those maximum pesticide residue limits established by the Codex Alimentarius Commission for this commodity

Note: where the use of certain pesticides is prohibited by some Partner States, then it shall be notified to all Partner States accordingly.

5.3 Mycotoxin limits

Brown rice shall comply with those maximum mycotoxin limits established by the Codex Alimentarius Commission for this commodity. In particular, total aflatoxin levels in brown rice for human

consumption shall not exceed 10 $\mu g/kg$ (ppb) with B_1 not exceeding 5 $\mu g/kg$ (ppb) when tested according to ISO 16050.

6 Hygiene

- **6.1** Brown rice shall be produced, prepared and handled in accordance with the provisions of appropriate sections of EAS 39
- **6.2** When tested by appropriate standards of sampling and examination listed in Clause 2, the products:
- shall be free from microorganisms in amounts which may represent a hazard to health and shall not exceed the limits stipulated in Table 2;
- shall be free from parasites which may represent a hazard to health; and
- shall not contain any substance originating from microorganisms in amounts which may represent a hazard to health.

	Type of micro-organism	Limits	Test method
i)	Yeasts and moulds, max. per g	10 ²	
ii)	S.aureus per 25 g	Not	EAS 217
		detectable	LAG Z17
iii)	E. Coli, max. per g	Not	
		detectable	
iv)	Salmonella, max. per 25 g	Not	1
•		detectable	

Table 2 — Microbiological limits

7 Packaging

- **7.1** Brown rice shall be packed in suitable packages which shall be clean, sound, free from insect, fungal infestation and the packing material shall be of food grade quality.
- **7.2** Brown rice shall be packed in containers which will safeguard the hygienic, nutritional, technological and organoleptic qualities of the products.
- **7.3** The containers, including packaging material, shall be made of substances which are safe and suitable for their intended use. They shall not impart any toxic substance or undesirable odour or flavour to the product.
- **7.4** Each package shall contain rice of the same type and of the same grade designation.
- 7.5 If brown rice is presented in bags, the bags shall also be free of pests and contaminants.
- **7.6** Each package shall be securely closed and sealed.

8 Labelling

- **8.1** In addition to the requirements in EAS 38, each package shall be legibly and indelibly marked with the following:
- i) product name as "Brown Rice";

6

- ii) variety;
 - o Long grain brown rice
 - o Medium grain brown rice
 - Short grain brown rice
 - Mixed brown rice
- iii) grade;
- iv) name, address and physical location of the producer/ packer/importer;
- v) lot/batch/code number;
- vi) net weight, in kg;

Note: EAC partner states are signatory to the International Labour Organizations (ILO) for maximum package weight of 50kg where human loading and offloading is involved

- vii) the declaration "Food for Human Consumption"
- viii) storage instruction as "Store in a cool dry place away from any contaminants";
- ix) crop year;
- x) packing date;
- xi) instructions on disposal of used package;
- xii) country of origin;
- xiii) a declaration on whether the brown rice was genetically modified or not.

9 Sampling methods

Sampling shall be done in accordance with the EAS 79/ISO 13690.